

Model	Capacity (litres)	Dimensions HxWxD mm	Direct replacement	Nearest replacement	Capacity (litres)	Dimensions HxWxD mm without door	Comments
Dometic Refrigerators							
RA 10	30	677 x 373 x 390	No direct replacement				
RAM 17	44	712 x 473 x 470	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RAM 22	40	677 x 440 x 390	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RAM 24	60	712 x 486 x 460	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RAM 3500	155	993 x 585 x 627	No direct replacement	RMD 10.5T	153	1245x523x550	Flat door, TFT display
RM 122	28	586 x 380 x 434	No direct replacement				CRP40 or CRX50 DC compressor
RM 123E	30	659 x 380 x 400	No direct replacement				CRP40 or CRX50 DC compressor
RM 180 KTL	45	580 x 425 x 445	No direct replacement				CRP40 or CRX50 DC compressor
RM 181 KTL	45	540 x 465 x 445	No direct replacement				CRP40 or CRX50 DC compressor
RM 182 KTL	41	640 x 425 x 455	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RM 184 EGP KTL	41	640 x 425 x 455	No direct replacement	RM 5310	60	619 x 486 x 472	Battery ign
RM 184 EGI KTL	41	640 x 425 x 455	No direct replacement	RM 5310	60	620 x 486 x 472	Battery ign
RM 185 KTL	41	620 x 425 x 445	No direct replacement	RM 5310	60	621 x 486 x 472	Battery ign
RM 200	60	628 x 486 x 476	RM 5310		60	618 x 486 x 472	Battery ign
RM 201	60	606 x 486 x 480	No direct replacement	RM 5310	60	621 x 486 x 472	Battery ign
RM 212	60	615 x 485 x 472	RM 5310		60	618 x 486 x 472	Battery ign
RM 270	70	821 x 486 x 476	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 275	70	821 x 486 x 476	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 285	70	821 x 486 x 476	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 300 A	80	815.5 x 525 x 536	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 300 C	80	815.5 x 525 x 536	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 300 D	80	815.5 x 525 x 536	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 300 P	80	815.5 x 525 x 536	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 300 R	80	815.5 x 525 x 536	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 301 (Hobby only)	81	799 x 524 x 417	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 400 A	103	805.5 x 525 x 540	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 400 C	103	805.5 x 525 x 540	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 400 D	103	805.5 x 525 x 536	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 400 P	103	805.5 x 525 x 540	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 400 R	103	805.5 x 525 x 536	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 415	103	805.5 x 525 x 536	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
2-series							
RM 2250	70	821 x 486 x 476	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 2251	70	821 x 486 x 476	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 2253	90	821 x 486 x 536		No direct replacement			
RM 2254	90	821 x 486 x 536		No direct replacement			
RM 2260	70	821 x 486 x 485	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 2262	70	821 x 486 x 485	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 2266	77	823 x 486 x 485	No direct replacement				
RM 2267	77	823 x 486 x 485	No direct replacement				
RM 2268	77	823 x 486 x 485	No direct replacement				
RM 2280	90	821 x 486 x 476	RM 5380		70	821 x 486 x 472	Wheel arch model, battery ign
RM 2281	90	821 x 486 x 476	RM 5380		70	821 x 486 x 472	Wheel arch model, battery ign

Model	Capacity (litres)	Dimensions HxWxD mm	Direct replacement	Nearest replacement	Capacity (litres)	Dimensions HxWxD mm without door	Comments
RM 2285	90	821 x 486 x 474	RM 5380		70	821 x 486 x 472	Wheel arch model, battery ign
RM 2290	90	826 x 486 x 535	No direct replacement	No direct replacement			
RM 2291	90	821 x 486 x 535	No direct replacement	No direct replacement			
RM 2292	90	821 x 486 x 535	No direct replacement	No direct replacement			
RM 2601	170 (35)	1300 x 547 x 621	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
RM 2601	185	1321 x 585 x 627	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 2606	170 (35)	1250 x 580 x 622.5	No direct replacement	RMD 10.5T	153	1245x523x605	MES/AES, Double hinged door
RM 2610	170 (35)	1321 x 585 x 534	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 2610		1321 x 585 x 627	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
3-series							
RM 3210	60	618 x 486 x 476	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RM 3210-1	60	618 x 486 x 476	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RM 3250	70	821 x 486 x 476		No direct replacement			
4-series							
RM 4180	40	617 x 401 x 451		No direct replacement			
RM 4181 M	40	617 x 401 x 451		No direct replacement			
RM 4200	60	618 x 486 x 474	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RM 4203	60	609 x 486 x 479		No direct replacement			
RM 4210	60	618 x 486 x 474	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RM 4211	60	618 x 486 x 474	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RM 4213	60	618 x 486 x 474	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RM 4215	60	618 x 486 x 474	No direct replacement	RM 5310	60	618 x 486 x 472	Battery ign
RM 4230	70	821 x 486 x 474	No direct replacement	RM 5330	70	821 x 486 x 472	Wheel arch model, battery ign
RM 4231	70	821 x 486 x 476	No direct replacement	RM 5330	70	821 x 486 x 472	Wheel arch model, battery ign
RM 4261 LM	70	821 x 486 x 476	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 4265 LM	70	821 x 486 x 474	RM 5330		70	821 x 486 x 472	Wheel arch model, battery ign
RM 4270	77	823 x 486 x 539	No direct replacement				
RM 4271	77	823 x 486 x 539	No direct replacement				
RM 4275	77	821 x 486 x 537	No direct replacement				
RM 4280	81	821 x 486 x 474	RM 5380		70	821 x 486 x 474	Battery ign
RM 4281	81	821 x 486 x 474	RM 5380		70	821 x 486 x 474	Battery ign
RM 4281LM	70	821 x 486 x 474	RM 5330		70	821 x 486 x 474	Wheel arch model, battery ign
RM 4285	81	821 x 486 x 474	RM 5380		70	821 x 486 x 474	Battery ign
RM 4290	86	815 x 525 x 537	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 4291	86	815 x 525 x 537	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 4300	80	815.5 x 525 x 536	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 4360	89	821 x 486 x 539	No direct replacement	RM 5380	70	821 x 486 x 474	
RM 4361	88	821 x 486 x 539	No direct replacement	RM 5380	70	821 x 486 x 474	
RM 4365	89	821 x 486 x 539	No direct replacement	RM 5380	70	821 x 486 x 474	
RM 4400	100	805.5 x 525 x 537	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 4401	97	805.5 x 525 x 537	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 4401	100	805.5 x 525 x 537	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 4405	97	805.5 x 525 x 537	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door

Model	Capacity (litres)	Dimensions HxWxD mm	Direct replacement	Nearest replacement	Capacity (litres)	Dimensions HxWxD mm without door	Comments
RM 4501	135 (25)	1245 x 525 x 545	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 4505	132 (25)	1245 x 525 x 545	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 4601	165 (47)	1385 x 632 x 627	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 4605	165 (47)	1385 x 632 x 627	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 4701	165 (36)	1595 x 525 x 545	No direct replacement	RMD 10.5XT	177	1245x523x605	MES/AES, Double hinged door
RM 4705	165 (36)	1595 x 525 x 545	No direct replacement	RMD 10.5XT	177	1245x523x605	MES/AES, Double hinged door
RM 4801	225 (47)	1541 x 632 x 627	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 4805	225 (47)	1541 x 632 x 627	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
5-series							
RM 5211	60	618 x 486 x 474	RM 5310		60	618 x 486 x 472	Battery ign
RM 5401	97	805.5 x 525 x 537	RM10.5T		93	821x523x541	MES/AES, Double hinged door
RM 5405	97	805.5 x 525 x 537	RM10.5T		93	821x523x541	MES/AES, Double hinged door
RM 5380	70	821 X 486 X 474	Still in prodction				
6-series							
RM 6270	77	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 6271	77	821 x 486 x 541	No direct replacement	RMS380	70	822 x 486 x 474	
RM 6275	86	821 x 486 x 541	No direct replacement	RM5380	70	823 x 486 x 474	
RM 6290	86	821 x 525 x 541	RMS10.5T		83	821x523x541	MES/AES, Double hinged door
RM 6291	86	821 x 525 x 541	RMS10.5T		83	821x523x541	MES/AES, Double hinged door
RM 6360	88	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 6361	88	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 6365	88	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 6390	105	821 x 525 x 623	No direct replacement	RM5380	70	821 x 486 x 474	
RM 6391	105	821 x 525 x 623	No direct replacement	RM5380	70	821 x 486 x 474	
RM 6400	97	821 x 525 x 541	RM10.5T		93	821x523x541	MES/AES, Double hinged door
RM 6401	97	821 x 525 x 541	RM10.5T		93	821x523x541	MES/AES, Double hinged door
RM 6405	97	821 x 525 x 541	RM10.5T		93	821x523x541	MES/AES, Double hinged door
RM 6501	135 (25)	1245 x 525 x 545	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
RM 6505	132 (25)	1245 x 525 x 545	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
RM 6701	165 (35)	1595 x 525 x 545	No direct replacement	RMD 10.5XT	177	1245x523x605	MES/AES, Double hinged door
RM 6705	165 (36)	1595 x 525 x 545	No direct replacement	RMD 10.5XT	177	1245x523x605	MES/AES, Double hinged door
7-series							
RM 7270	77	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 7271	77	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 7275L	86	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 7290L	86	821 x 525 x 541	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7291L	86	821 x 525 x 541	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7295	86	821 x 525 x 541	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7360L	88	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 7361L	88	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 7365L	88	821 x 486 x 541	No direct replacement	RM5380	70	821 x 486 x 474	
RM 7371	93	821 x 486 x 606	No direct replacement	RM5380	70	821 x 486 x 474	

Model	Capacity (litres)	Dimensions HxWxD mm	Direct replacement	Nearest replacement	Capacity (litres)	Dimensions HxWxD mm without door	Comments
RM 7390	105	821 x 523 x 623	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7391	105	821 x 523 x 623	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7395	105	821 x 523 x 623	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7400L	97	821 x 525 x 541	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 7401L	97	821 x 525 x 541	RM10.5T		93	821x523x541	MES/AES, Double hinged door
RM 7405L	97	821 x 525 x 541	RM10.5T		93	821x523x541	MES/AES, Double hinged door
RM 7501L	135 (25)	1248 x 530 x 510	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 7505L	135 (25)	1248 x 530 x 510	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 7540	110	821 x 525 x 596	No direct replacement	RMS10.5X	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7541	110	821 x 525 x 596	No direct replacement	RMS10.5X	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7545	110	821 x 525 x 596	No direct replacement	RMS10.5X	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7550	117	821 x 525 x 623	No direct replacement	RM10.5T	93	821x523x541	MES/AES, Double hinged door
RM 7551	117	821 x 525 x 623	No direct replacement	RMS10.5X	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7555	117	821 x 525 x 623	No direct replacement	RMS10.5X	83	821x523x541	MES/AES, Double hinged door, Stepped
RM 7601L	142 (42)	1245 x 525 x 543	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 7601L	150 (42)	1245 x 525 x 570	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 7605L	142 (42)	1245 x 525 x 543	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 7605L	150 (42)	1245 x 525 x 570	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 7651	150	1245 x 525 x 570	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 7655	150	1245 x 525 x 570	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RM 7701L	165 (36)	1598 x 530 x 510	No direct replacement	RMD 10.5XT	177	1245x523x605	MES/AES, Double hinged door
RM 7701L	165 (36)	1595 x 525 x 545	No direct replacement	RMD 10.5XT	177	1245x523x605	MES/AES, Double hinged door
RM 7705L	165 (36)	1598 x 530 x 510	No direct replacement	RMD 10.5XT	177	1245x523x605	MES/AES, Double hinged door
RM 7801	167	1245 x 525 x 599	No direct replacement	RMD 10.5XT	177	1566x523x605	MES/AES, Double hinged door
RM 7805	167	1245 x 525 x 599	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
RM 7851	175	1245 x 525 x 626	RMD 10.5XT		177	1245x523x605	MES/AES, Double hinged door
RM 7855	175	1245 x 525 x 626	RMD 10.5XT		177	1245x523x605	MES/AES, Double hinged door
RMDT 7651	150	1515 x 525 x 596		Tec Tower. No direct replacement available.			
RMDT 7655	150	1515 x 525 x 596		Tec Tower. No direct replacement available.			
RMDT 7851	175	1515 x 525 x 651		Tec Tower. No direct replacement available.			
RMDT 7855	175	1515 x 525 x 651		Tec Tower. No direct replacement available.			
8-series							
RML8230	156	1648 x 380 x 598	No direct replacement	RML10.4T	133	1293 x 420 x 578	This is 40mm wider!
RM 8501	100	821 x 525 x 568	RM10.5T		93	821x523x548	MES/AES, Double hinged door
RMS8550	117	821 x 525 x 596	RMS10.5X		83	821x523x541	MES/AES, Double hinged door
RM 8551	122	821 x 525 x 624	RM10.5T		93	821x523x548	MES/AES, Double hinged door
RMD 8501	160	1245 x 525 x 570	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
RMD 8505	160	1245 x 525 x 570	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
RMD 8551	190	1245 x 525 x 625	RMD 10.5XT		177	1245x523x605	MES/AES, Double hinged door
RMD 8555	190	1245 x 525 x 625	RMD 10.5XT		177	1245x523x605	MES/AES, Double hinged door
RMF 8505	148	1515 x 523 x 567	No direct replacement	RMD 10.5T	153	1245x523x550	MES/AES, Double hinged door
RMS 8501	90	821 x 525 x 568	RMS10.5T		83	821x523x541	MES/AES, Double hinged door, Stepped
RMS 8551	103 (12)	821 x 523 x 623	RMS10.5T		83	821x523x541	MES/AES, Double hinged door, Stepped
RML 8551	171 (33)	1245 x 523 x 622	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
RML 8555	171 (33)	1245 x 523 x 622	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door

Model	Capacity (litres)	Dimensions HxWxD mm	Direct replacement	Nearest replacement	Capacity (litres)	Dimensions HxWxD mm without door	Comments
RMSL 8			No direct replacement				
RML 8330	140	1293 x 420 x 598	No direct replacement				
RMDT							
9-series							
RML 9430	142 (12)	1293 x 468 x 555	No direct replacement	RML 10.4 - but a replacement kit will also be needed	153	1293 x 420 x 578	Kit 9600025974
RML 9435	142 (12)	1293 x 468 x 555	No direct replacement	RML 10.4 - but a replacement kit will also be needed	153	1293 x 420 x 578	Kit 9600025974
RML9336		1293 x 420 x 587	RML10.4				
MDC Range							
MDC 50	43	620 x 425 x 445	RM 5310		60	618 x 486 x 472	Battery ign
MDC 65	64	673 x 485 x 475	No direct replacement	RC 10.4T 70	70	821x420x450	Double hinged door
MDC 90	90	830 x 485 x 475	No direct replacement	RC 10.4T 70	70	821x420x450	Double hinged door
MDC 110	110	805.5 x 525 x 547	No direct replacement	RC 10.4T 70	70	821x420x450	Double hinged door
Thetford Refrigerators							
N80 DeLuxe	81	821 x 486 x 543	No replacement available	No direct replacement			
N90 DeLuxe/ Premium LCD	91	821 x 525 x 543	RMS10.5		90	821 x 523 x 498	MES/AES, Double hinged door, Stepped
N97 DeLuxe/ Premium LCD	96	821 x 525 x 578	RM10.5T		90	821 x 523 x 498	MES/AES, Double hinged door
N98 DeLuxe/ Premium LCD	97	821 x 525 x 543	RMS10.5X		83	821x523x541	MES/AES, Double hinged door, Stepped
N104 DeLuxe/ Premium LCD	105	821 x 525 x 578	RMS10.5X		83	821x523x541	MES/AES, Double hinged door, Stepped
N108 DeLuxe/ Premium LCD	108	821 x 525 x 597	RMS10.5		90	821 x 523 x 498	MES/AES, Double hinged door, Stepped
N109 DeLuxe/ Premium LCD	105	821 x 525 x 578	RMS10.5X		83	821x523x541	MES/AES, Double hinged door, Stepped
N112 DeLuxe/ Premium LCD	113	821 x 525 x 632	RMS10.5		90	821 x 523 x 498	MES/AES, Double hinged door, Stepped
N115 DeLuxe	115	821 x 525 x 660	RMS10.5		90	821 x 523 x 498	MES/AES, Double hinged door, Stepped
N145 Premium LCD	141	1245 x 525 x 543	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
N150 Premium LCD	149	1245 x 525 x 578	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
N175 Premium LCD	175	1245 x 525 x 628	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
N3080	81	821 x 486 x 543	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
N3100	97	821 x 525 x 543	RMS10.5X		83	821x523x541	MES/AES, Double hinged door, Stepped
N3112	113	821 x 525 x 628	RMS10.5		90	821 x 523 x 498	MES/AES, Double hinged door, Stepped
N3145	141	1245 x 525 x 543	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
N3150	149	1245 x 525 x 578	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
N3175	175	1245 x 525 x 628	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
Double Door							

Model	Capacity (litres)	Dimensions HxWxD mm	Direct replacement	Nearest replacement	Capacity (litres)	Dimensions HxWxD mm without door	Comments
N4145	141	1245x525x543	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
N4150	149	1245x525x578	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
N4170	167	1245x525x593	RMD 10.5T		153	1245x523x550	MES/AES, Double hinged door
N4175	175	1245x525x628	RMD 10.5XT		177	1245x523x605	MES/AES, Double hinged door
Single door							
N4080	81	821x486x543	No direct replacement	RMS10.5T	83	821x523x541	MES/AES, Double hinged door, Stepped
N4090	89	821x525x543	RMS10.5T		83	821x523x541	MES/AES, Double hinged door, Stepped
N4097	96	821x525x578	RMS10.5T		83	821x523x541	MES/AES, Double hinged door, Stepped
N4100	97	821x525x543	RM10.5T		93	821x523x541	MES/AES, Double hinged door, Stepped
N4104	105	821x525x578	RMS10.5T		83	821x523x541	MES/AES, Double hinged door, Stepped
N4108	106	821x525x593	RMS10.5XT		98	821x523x596	MES/AES, Double hinged door, Stepped
N4112	113	821x525x628	RMS10.5XT		98	821x523x596	MES/AES, Double hinged door, Stepped
Slim							
N4141 - 2 door	141	1500x418x561	Remove?				
N4142 - 1 door	142	1500x418x561	Remove?				