

2019

# DOMETIC FRIDGE REPLACEMENT CHART

FOR ABSORPTION & COMPRESSOR FRIDGES

## EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
<b>RA 10</b>	1978	30	677 x 373 x 390	–
<b>RAM 17</b>	1970	44	712 x 473 x 470	Piezo
<b>RAM 22</b>	1976	40	677 x 440 x 390	Piezo
<b>RAM 24</b>	1976	60	712 x 486 x 460	Piezo
<b>RAM 3500</b>	Unknown	155	993 x 585 x 627	AES
<b>RM 122</b>	1986	28	586* x 380 x 434 *Height 662 mm incl. upper grill for inner ventilation	
<b>RM 123E</b>	1992	30	659 x 380 x 400	Electric
<b>RM 180 KTL</b>	1996	45	580 x 425 x 445	Piezo
<b>RM 181 KTL</b>	1996	45	540 x 465 x 445	Piezo
<b>RM 182 KTL</b>	1996	41	640 x 425 x 455	Piezo
<b>RM 184 EGP KTL</b>	1996	41	640 x 425 x 455	Piezo
<b>RM 184 EGI KTL</b>	1996	41	640 x 425 x 455	Electric
<b>RM 185 KTL</b>	1996	41	620 x 425 x 445	–
<b>RM 200</b>	1993	60	628 x 486 x 476	Piezo
<b>RM 201</b>	1993	60	606 x 486 x 480	Piezo
<b>RM 212</b>	1993	60	615 x 485 x 472	–
<b>RM 270</b>	1993	70	821 x 486 x 476	Piezo
<b>RM 275</b>	1993	70	821 x 486 x 476	Electric
<b>RM 285</b>	1993	70	821 x 486 x 476	AES
<b>RM 300 A</b>	1989	80	815.5 x 525 x 536	Piezo
<b>RM 300 C</b>	1989	80	815.5 x 525 x 536	Piezo
<b>RM 300 D</b>	1989	80	815.5 x 525 x 536	Electric
<b>RM 300 P</b>	1993	80	815.5 x 525 x 536	Piezo
<b>RM 300 R</b>	1993	80	815.5 x 525 x 536	Electric
<b>RM 301 (Hobby only)</b>	1996	81	799 x 524 x 417	Piezo
<b>RM 400 A</b>	1989	103	805.5 x 525 x 540	Piezo
<b>RM 400 C</b>	1989	103	805.5 x 525 x 540	Piezo
<b>RM 400 D</b>	1989	103	805.5 x 525 x 536	Electric
<b>RM 400 P</b>	1993	103	805.5 x 525 x 540	Piezo
<b>RM 400 R</b>	1993	103	805.5 x 525 x 536	Electric
<b>RM 415</b>	1993	103	805.5 x 525 x 536	AES

## DOMETIC REFRIGERATORS

## REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
No direct replacement available.					
<b>RM 5310</b>	60	618 x 486 x 472	618 x 486 x 474	Battery	
<b>RM 5310</b>	60	618 x 486 x 472	618 x 486 x 474	Battery	
<b>RM 5310</b>	60	618 x 486 x 472	618 x 486 x 474	Battery	
<b>RMD 10.5T</b>	153	–	1245 x 525 x 550	AES	Flat door, TFT display
No direct replacement available.					
No direct replacement available.					
No direct replacement available.					
No direct replacement, closest is the RM 5310 (618 x 486 x 474 mm).					
No direct replacement, closest is the RM 5310 (618 x 486 x 474 mm).					
No direct replacement, closest is the RM 5310 (618 x 486 x 474 mm).					
No direct replacement, closest is the RM 5310 (618 x 486 x 474 mm).					
<b>RM 5310</b>	60	618 x 486 x 472	618 x 486 x 474	Battery	
No direct replacement available.					
<b>RM 5310</b>	60	618 x 486 x 472	618 x 486 x 474	Battery	
<b>RM 5330</b>	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model.
<b>RM 5330</b>	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
<b>RM 5330</b>	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
<b>RMS 8505</b>	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
<b>RMS 8505</b>	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
<b>RMS 8405</b>	80	–	821 x 486 x 568	AES	Wheel arch model.
<b>RM 8500</b>	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
<b>RM 8500</b>	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
<b>RM 8505</b>	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
<b>RM 8500</b>	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
<b>RM 8505</b>	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
<b>RM 8505</b>	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.

## EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
-------	---------------	-------------------	---------------------------	----------

## 2-SERIES

RM 2250	1993	70	821 x 486 x 476	Electric
RM 2251	1993	70	821 x 486 x 476	Piezo
RM 2253	1993	90	821 x 486 x 536	Electric
RM 2254	1993	90	821 x 486 x 536	Piezo
RM 2260	1993	70	821 x 486 x 485	Electric
RM 2262	1993	70	821 x 486 x 485	Piezo
RM 2266	1994	77	823 x 486 x 485	Electric
RM 2267	1994	77	823 x 486 x 485	Electric
RM 2268	1994	77	823 x 486 x 485	Piezo
RM 2280	1993	90	821 x 486 x 476	Piezo
RM 2281	1993	90	821 x 486 x 476	Electric
RM 2285	1994	90	821 x 486 x 474	AES
RM 2290	1994	90	826 x 486 x 535	Electric / MES
RM 2291	1994	90	821 x 486 x 535	Electric
RM 2292	1994	90	821 x 486 x 535	Piezo
RM 2601	1997	170 (35)	1300 x 547 x 621	Piezo
RM 2601	-	185	1321 x 585 x 627	MES
RM 2606	1997	170 (35)	1250 x 580 x 622.5	Electric
RM 2610	1998	170 (35)	1321 x 585 x 534	Electric
RM 2610	1998		1321 x 585 x 627	Electric

## 3-SERIES

RM 3210	1990	60	618 x 486 x 476	AES
RM 3210-1	1993	60	618 x 486 x 476	AES
RM 3250	1993	70	821 x 486 x 476	AES

## 4-SERIES

RM 4180	2011	40	617 x 401 x 451	Piezo
RM 4181 M	2011	40	617 x 401 x 451	Electric
RM 4200	2000	60	618 x 486 x 474	Piezo
RM 4203	2011	60	609 x 486 x 479	Piezo
RM 4210	2011	60	618 x 486 x 474	Piezo
RM 4211	-	60	618 x 486 x 474	Electric
RM 4213	-	60	618 x 486 x 474	MES
RM 4215	2011	60	618 x 486 x 474	AES

## REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		

RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model.
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model. Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8400	80	821 x 486 x 498	821 x 486 x 568	Battery	Wheel arch model. Specify left or right hung.
RM 5380	70	821 x 486 x 472	821 x 486 x 474	Piezo	
RM 5380	70	821 x 486 x 472	821 x 486 x 474	Piezo	Not available with MES or AES ignition.
RM 5380	70	821 x 486 x 472	821 x 486 x 474	Piezo	Not available with MES or AES ignition.
RM 8405	90	-	821 x 486 x 568	AES	
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.
RMS 8405	80	-	821 x 486 x 568	AES	Wheel arch model
No direct replacement.					
No direct replacement available.					
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
No direct replacement available.					
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	
RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.

## EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
RM 4217	-	-	-	-
RM 4230	2011	70	821 x 486 x 474	Piezo
RM 4231	2011	70	821 x 486 x 476	Electric
RM 4261 LM	2003	70	821 x 486 x 476	Electric
RM 4265 LM	2011	70	821 x 486 x 474	AES
RM 4270	2000	77	823 x 486 x 539	Piezo
RM 4271	2000	77	823 x 486 x 539	Electric
RM 4275	2000	77	821 x 486 x 537	AES
RM 4280	-	81	821 x 486 x 474	Piezo
RM 4281	-	81	821 x 486 x 474	Electric
RM 4281LM	2011	70	821 x 486 x 474	Electric
RM 4285	-	81	821 x 486 x 474	AES
RM 4290	2000	86	815 x 525 x 537	Piezo
RM 4291	2000	86	815 x 525 x 537	Electric
RM 4300	1996	80	815.5 x 525 x 536	Piezo
RM 4360	2000	89	821 x 486 x 539	Piezo
RM 4361	2000	88	821 x 486 x 539	Electric
RM 4365	2000	89	821 x 486 x 539	AES
RM 4400	2000	100	805.5 x 525 x 537	Piezo
RM 4401	2003	97	805.5 x 525 x 537	Electric
RM 4401	-	100	805.5 x 525 x 537	Electric
RM 4405	2003	97	805.5 x 525 x 537	AES
RM 4501	2000	135 (25)	1245 x 525 x 545	Electric
RM 4505	2000	132 (25)	1245 x 525 x 545	AES
RM 4601	1999	165 (47)	1385 x 632 x 627	Electric
RM 4605	1999	165 (47)	1385 x 632 x 627	AES
RM 4701	2000	165 (36)	1595 x 525 x 545	Electric
RM 4705	2000	165 (36)	1595 x 525 x 545	AES
RM 4801	1999	225 (47)	1541 x 632 x 627	Electric
RM 4805	1999	225 (47)	1541 x 632 x 627	AES

## REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5330	70	821 x 486 x 472	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RMS 8400	80	821 x 486 x 498	821 x 486 x 568	Battery	Wheel arch model. Specify left or right hung
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8405	80	-	821 x 486 x 568	AES	Wheel arch model
RM 5380	70	-	821 x 486 x 474	Battery	
RM 5380	70	-	821 x 486 x 474	Battery	Not available with MES or AES ignition.
RM 5330	70	-	821 x 486 x 474	Battery	Not available with MES or AES ignition. Wheel arch model.
RM 5380	70	-	821 x 486 x 474	Battery	Not available with MES or AES ignition.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8405	90	-	821 x 486 x 568	AES	
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display

## EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
-------	---------------	-------------------	---------------------------	----------

## 5-SERIES

RM 5211	2001	60	618 x 486 x 474	Electric
RM 5401	2001	97	805.5 x 525 x 537	Electric
RM 5405	2001	97	805.5 x 525 x 537	AES

## 6-SERIES

RM 6270	2003	77	821 x 486 x 541	Piezo
RM 6271	2003	77	821 x 486 x 541	Electric / MES
RM 6275	2003	86	821 x 486 x 541	AES
RM 6290	2003	86	821 x 525 x 541	Piezo
RM 6291	2003	86	821 x 525 x 541	Electric / MES
RM 6360	2003	88	821 x 486 x 541	Piezo
RM 6361	2003	88	821 x 486 x 541	Electric / MES
RM 6365	2003	88	821 x 486 x 541	AES
RM 6390	-	105	821 x 525 x 623	Piezo
RM 6391	-	105	821 x 525 x 623	MES
RM 6400	2003	97	821 x 525 x 541	Piezo
RM 6401	2003	97	821 x 525 x 541	Electric / MES
RM 6405	2003	97	821 x 525 x 541	AES
RM 6501	2003	135 (25)	1245 x 525 x 545	Electric
RM 6505	2003	132 (25)	1245 x 525 x 545	AES
RM 6701	2003	165 (35)	1595 x 525 x 545	Electric
RM 6705	2003	165 (36)	1595 x 525 x 545	AES

## 7-SERIES

RM 7270	2011	77	821 x 486 x 541	Piezo / MES
RM 7271	2011	77	821 x 486 x 541	Electric
RM 7275L	2011	86	821 x 486 x 541	AES
RM 7290L	2011	86	821 x 525 x 541	Piezo / MES
RM 7291L	2011	86	821 x 525 x 541	Electric / MES
RM 7295	2005	86	821 x 525 x 541	AES
RM 7360L	2011	88	821 x 486 x 541	Piezo / MES
RM 7361L	2011	88	821 x 486 x 541	Electric / MES
RM 7365L	2011	88	821 x 486 x 541	AES
RM 7371	2005	93	821 x 486 x 606	MES
RM 7390	2005	105	821 x 523 x 623	Piezo
RM 7391	2005	105	821 x 523 x 623	MES

## REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		

RM 5310	60	618 x 486 x 472	618 x 486 x 474	Battery	Not available with MES or AES ignition.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	
RMS 8400	80	821 x 486 x 498	821 x 486 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8405	80	-	821 x 486 x 568	AES	Wheel arch model
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8405	90	-	821 x 486 x 568	AES	
Bailey spec fridge, no direct replacement closest is the RM 8500 (821 x 525 x 568 mm).					
Bailey spec fridge, no direct replacement closest is the RM 8500 (821 x 525 x 568 mm).					
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMS 8400	80	821 x 486 x 498	821 x 486 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 568	MES	Wheel arch model. Specify left or right hung.
RMS 8405	80	-	821 x 486 x 568	AES	Wheel arch model. Specify left or right hung.
RMS 8500	90	821 x 523 x 498	821 x 525 x 568	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RM 8400	90	821 x 486 x 498.5	821 x 486 x 568	Battery	Specify left or right hung.
RM 8401	90	821 x 486 x 498.5	821 x 486 x 568	MES	Specify left or right hung.
RM 8405	90	-	821 x 486 x 568	AES	Specify left or right hung.
RMS 8401	80	821 x 486 x 498	821 x 486 x 569	MES	Wheel arch model. Specify left or right hung.
RMS 8500	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung.
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
RM 7395	2005	105	821 x 523 x 623	AES
RM 7400L	2011	97	821 x 525 x 541	Piezo / MES
RM 7401L	2011	97	821 x 525 x 541	Electric / MES
RM 7405L	2011	97	821 x 525 x 541	AES
RM 7501L	2011	135 (25)	1248 x 530 x 510	Electric
RM 7505L	2009	135 (25)	1248 x 530 x 510	AES
RM 7540	2005	110	821 x 525 x 596	Piezo
RM 7541	2005	110	821 x 525 x 596	MES
RM 7545	2005	110	821 x 525 x 596	AES
RM 7550	2005	117	821 x 525 x 623	Piezo
RM 7551	2005	117	821 x 525 x 623	MES
RM 7555	2005	117	821 x 525 x 623	AES
RM 7601L	2005	142 (42)	1245 x 525 x 543	Electric / MES
RM 7601L	2005	150 (42)	1245 x 525 x 570	Electric / MES
RM 7605L	2005	142 (42)	1245 x 525 x 543	AES
RM 7605L	2005	150 (42)	1245 x 525 x 570	AES
RM 7651	2005	150	1245 x 525 x 570	MES
RM 7655	2005	150	1245 x 525 x 570	AES
RM 7701L	2009	165 (36)	1598 x 530 x 510	Electric
RM 7701L	2009	165 (36)	1595 x 525 x 545	Electric
RM 7705L	2011	165 (36)	1598 x 530 x 510	AES
RM 7801	2005	167	1245 x 525 x 599	MES
RM 7805	2005	167	1245 x 525 x 599	AES
RM 7851	2005	175	1245 x 525 x 626	MES
RM 7855	2005	175	1245 x 525 x 626	AES
RMT 7651	2005	150	1515 x 525 x 596	MES
RMT 7655	2005	150	1515 x 525 x 596	AES
RMT 7851	2005	175	1515 x 525 x 651	MES
RMT 7855	2005	175	1515 x 525 x 651	AES

8-SERIES

RM 8501	2019	100	821 x 525 x 568	MES
RM 8551	2019	115	821 x 525 x 624	MES
RMD 8501	2019	160	1245 x 525 x 570	MES
RMD 8505	2019	160	1245 x 525 x 570	AES
RMD 8551	2019	190	1245 x 525 x 625	MES
RMD 8555	2019	190	1245 x 525 x 625	AES

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
RMS 8505	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
RM 8500	100	821 x 523 x 498.5	821 x 525 x 568	Battery	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RM 8505	100	821 x 523 x 498.5	821 x 525 x 568	AES	Specify left or right hung.
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RM 8500	100	821 x 523 x 498.5	821 x 525 x 569	Battery	Specify left or right hung
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RM 8555	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5	153	-	1245 x 525 x 550	AES	Flat door, simple
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5T	153	-	1245 x 525 x 550	AES	Flat door, TFT display
RMD 10.5X	177	-	1245 x 525 x 605	AES	Flat door, simple
RMD 10.5XT	177	-	1245 x 525 x 605	AES	Flat door, TFT display
RMD 10.5X	177	-	1245 x 525 x 605	AES	Flat door, simple
RMD 10.5XT	177	-	1245 x 525 x 605	AES	Flat door, TFT display
		Tec Tower. No direct replacement available.			
		Tec Tower. No direct replacement available.			
		Tec Tower. No direct replacement available.			
		Tec Tower. No direct replacement available.			

EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
<b>RMF 8505</b>	2019	148	1515 x 523 x 567	AES
<b>RMS 8501</b>	2019	90	821 x 525 x 568	MES
<b>RMS 8551</b>	2019	103 (12)	821 x 523 x 623	AES
<b>RML 8551</b>	2019	171 (33)	1245 x 523 x 622	MES
<b>RML 8555</b>	2019	171 (33)	1245 x 523 x 622	AES

**9-SERIES**

<b>RML 9430</b>	2019	142 (12)	1293 x 468 x 555	MES
<b>RML 9435</b>	2019	142 (12)	1293 x 468 x 555	AES

**DOMETIC REFRIGERATORS - COMPRESSOR TO ABSORPTION**

<b>MDC 50</b>	N/A	43	620 x 425 x 445	N/A
<b>MDC 65</b>	N/A	64	673 x 485 x 475	N/A
<b>MDC 90</b>	N/A	90	830 x 485 x 475	N/A
<b>MDC 110</b>	N/A	110	805.5 x 525 x 547	N/A

REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		
No direct replacement available, closest is the RMD 10.5 (1245 x 525 x 550 mm).					
<b>RMS 8505</b>	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung.
<b>RMS 8555</b>	110	821 x 523 x 569	821 x 523 x 623	AES	Specify left or right hung.
<b>RMD 10.5</b>	153	-	1245 x 525 x 550	AES	Flat door, simple
<b>RMD 10.5</b>	153	-	1245 x 525 x 550	AES	Flat door, simple

**RML 10.4** - aftermarket version will be available in 2020.

**RML 10.4** - aftermarket version will be available in 2020.

<b>RM 5310</b>	60	618 x 486 x 472	618 x 486 x 474	Battery	
<b>RC 10.4</b>	70	-			
<b>RC 10.4</b>	90	-			
<b>RM 8500</b>	100	821 x 523 x 498.5	821 x 525 x 569	Battery	

## EXISTING REFRIGERATOR

MODEL	YEAR DISCONT.	CAPACITY (Litres)	DIMENSIONS H x W x D (mm)	IGNITION
-------	---------------	-------------------	---------------------------	----------

## REPLACEMENT REFRIGERATOR

NEAREST REPLACEMENT	CAPACITY (Litres)	DIMENSIONS (H x W x D mm)		IGNITION	COMMENTS
		without door	with door		

**THETFORD REFRIGERATORS**

<b>N80 DeLuxe</b>	2012	81	821 x 486 x 543	Piëzo / Electric	<b>RMS 8400</b>	80	821 x 486 x 498	821 x 486 x 569	Battery	Wheel arch model. Specify left or right hung
<b>N90 DeLuxe/ Premium LCD</b>	2012	91	821 x 525 x 543	Piëzo / Electric	<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
<b>N97 DeLuxe/ Premium LCD</b>	2012	96	821 x 525 x 578	Piëzo / Electric	<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
<b>N98 DeLuxe</b>	2012	98	821 x 525 x 606	Piëzo (Manual)	<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
<b>N100 DeLuxe/ Premium LCD</b>	2012	97	821 x 525 x 543	Piëzo / Electric	<b>RM 8555</b>	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
<b>N104 DeLuxe/ Premium LCD</b>	2012	105	821 x 525 x 578	Piëzo / Electric	<b>RM 8555</b>	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
<b>N108 DeLuxe/ Premium LCD</b>	2012	108	821 x 525 x 597	Piëzo / Electric	<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
<b>N109 DeLuxe/ Premium LCD</b>	2012	105	821 x 525 x 578	Piëzo / Electric	<b>RM 8555</b>	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
<b>N112 DeLuxe/ Premium LCD</b>	2012	113	821 x 525 x 632	Piëzo / Electric	<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
<b>N115 DeLuxe</b>	2012	115	821 x 525 x 660	Piëzo / Electric	<b>RMS 8500</b>	90	821 x 523 x 498	821 x 525 x 569	Battery	Wheel arch model. Specify left or right hung
<b>N145 Premium LCD</b>	2012	141	1245 x 525 x 543	Electric	<b>RMD 10.5</b>	153	-	1245 x 525 x 550	AES	Flat door, simple
<b>N150 Premium LCD</b>	2012	149	1245 x 525 x 578	Electric	<b>RMD 10.5X</b>	177	-	1245 x 525 x 605	AES	Flat door, simple
<b>N175 Premium LCD</b>	2012	175	1245 x 525 x 628	Electric	<b>RMD 10.5X</b>	177	-	1245 x 525 x 605	AES	Flat door, simple
<b>N3080</b>	N/A	81	821 x 486 x 543	Manual electric	<b>RMS 8400</b>	80	821 x 486 x 498	821 x 486 x 569	Battery	Wheel arch model. Specify left or right hung
<b>N3100</b>	N/A	97	821 x 525 x 543	Manual electric	<b>RM 8555</b>	115	821 x 523 x 553.5	821 x 525 x 624	AES	Specify left or right hung
<b>N3112</b>	N/A	113	821 x 525 x 628	Automatic	<b>RMS 8505</b>	90	821 x 523 x 498	821 x 525 x 569	AES	Wheel arch model. Specify left or right hung
<b>N3145</b>	N/A	141	1245 x 525 x 543	Automatic	<b>RMD 10.5</b>	153	-	1245 x 525 x 550	AES	Flat door, simple
<b>N3150</b>	N/A	149	1245 x 525 x 578	Automatic	<b>RMD 10.5X</b>	177	-	1245 x 525 x 605	AES	Flat door, simple
<b>N3175</b>	N/A	175	1245 x 525 x 628	Automatic	<b>RMD 10.5X</b>	177	-	1245 x 525 x 605	AES	Flat door, simple

To view our full range of fridges, please visit: [dometic.com](http://dometic.com)  
or for further information, email: [customerservices@dometic.co.uk](mailto:customerservices@dometic.co.uk)

